


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-07 THREADED ROD WAS 10 in. LONG, NOW 8 in. AND A B/O.	6/15/10	WP	DW



- NOTES**
1. TEST PEICES -01 RC 33, -07 RC 43.


RED BARN MACHINE

TITLE		PULLER	
DWG NO.		RBPWC64888	
REV		1	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: PERRITT	
TOLERANCES ON:		APPROVED: <i>D Weil</i>	
DECIMALS		HEAT TREAT: SEE PART	
.XXX ± .005		FINISH: BLACK OXIDE	
.XX ± .01		SPEC: USED ON MODEL	
.X ± .1		FRACTIONS ± 1/32	
ANGLES ± .5°		PRATT & WHITNEY	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
SCALE	NTS	DATE	10-21-09
SHEET	1 of 4		


ASSY QTY	ASSY #	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
			-01	1	ATTACHMENT	4140	Ø 1-3/4 x 3/4	2
			-03	1	SLIDE	1018	Ø 2 x 4-1/8	3
			-05	1	HANDLE	1018	Ø 1-1/2 x 4-1/8	4
		B/O	-07	1	THREADED ROD	STEEL, BLACK	Ø 3/8-16 UNC x 8 MCMaster-CARR #90281A651	1
		B/O	-09	2	JAM NUTS	PLAIN STEEL	3/8-16 UNC	1
			-	-	-	-	-	-
ASSY #								

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	--	-	-	-





-01
ATTACHMENT
HEAT TREAT RC. 32-38



RED BARN MACHINE	
TITLE PULLER; ATTACHMENT	
DWG NO. RBPWC64888-01	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX $\pm .005$.XX $\pm .01$.X $\pm .1$	
FRACTIONS $\pm 1/32$ ANGLES $\pm .5^\circ$	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: PERRITT APPROVED: <i>D. Weil</i> HEAT TREAT: SEE PART FINISH SPEC: BLACK OXIDE USED ON MODEL: PRATT & WHITNEY	
SCALE 2 : 1	DATE 10-21-09 SHEET 2 of 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	--	-	-	-




RED BARN MACHINE			
TITLE PULLER; SLIDE			
DWG NO. RBPWC64888-03			REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: PERRITT	
TOLERANCES ON:		APPROVED <i>D. Weil</i>	
DECIMALS		HEAT TREAT SEE PART	
.XXX $\pm .005$		FINISH BLACK OXIDE	
.XX $\pm .01$		SPEC USED ON MODEL	
.X $\pm .1$		PRATT & WHITNEY	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
SCALE 1 : 1	DATE 10-21-09	SHEET 3 of 4	


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	--	-	-	-



-05
HANDLE



 RED BARN MACHINE	
TITLE PULLER; HANDLE & ROD	
DWG NO. RBPWC64888-05 & 07	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	FRACTIONS ± 1/32 ANGLES ± .5°
DRAWN BY: PERRITT	
APPROVED: <i>D. Weil</i>	
HEAT TREAT: SEE PART	
FINISH SPEC: BLACK OXIDE	
USED ON MODEL	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1 : 1	DATE 10-21-09
SHEET 4 of 4	